
SC METROMAT SRL

Compartimentul Comercial: 505600 - Sacele - Piata Libertatii nr.2 - tel/fax: 0268 275 212; 0268 276 807
e-mail: sales@metromat.ro - comert@metromat.ro

Kroeplin

Aparat de masurat grosime 0 ... 100mm, C8100








subject to technical alterations

Properties of the product

Type	C8100
Display MM / INCH	MM
Application	External measurement
Measuring span Mes	100 mm
Measuring range Meb	0 - 100 mm
Range of indication Azb	0 - 101 mm
Scale interval Skw	0,05 mm
Max. permissible errors G	0,15 mm
Repeatability limit r	0,1 mm
Measuring force min.	0,8 N
Measuring force max.	1,8 N
Type of measuring contact movable	HM-Ball Ø 5 mm
Measuring contact movable Hb	35 mm
Type of measuring contact fixed	HM-Ball Ø 5 mm
Measuring contact fixed Hf	35 mm
Measuring contact thickness max.	Ø 5,2 mm
Measuring depth max. L	382 mm
Weight	660 g
Reference temperature	20 °C
Operating temperature	10 - 30 °C
Storage temperature	-10 - 50 °C
Protection class	IP67



NOTA: Aceasta fisa a fost realizata sub rezerva modificarilor ulterioare de ordin tehnic sau a erorilor de editare.

Fotografia are caracter informativ.

NOTE: Products and specifications are subject to change without prior notice .Pictures may differ from original.