
SC METROMAT SRL

Compartimentul Comercial: 505600 - Sacele - Piata Libertatii nr.2 - tel/fax: 0268 275 212; 0268 276 807
e-mail: sales@metromat.ro - comert@metromat.ro

Kroeplin


Aparat de masurat grosime 0...20mm, C220





Properties of the product

Type	C220
Display MM / INCH	MM
Application	External measurement
Measuring span Mes	20 mm
Measuring range Meb	0 - 20 mm
Range of indication Azb	0 - 20,5 mm
Scale interval Skw	0,01 mm
Max. permissible errors G	0,03 mm
Repeatability limit r	0,01 mm
Measuring force min.	1,1 N
Measuring force max.	1,6 N
Type of measuring contact movable	HM-Ball Ø 1,5 mm
Measuring contact movable Hb	24,7 mm
Type of measuring contact fixed	HM-Ball Ø 1,5 mm
Measuring contact fixed Hf	24,6 mm
Measuring contact thickness max.	Ø 4 mm
Measuring depth max. L	85 mm
Weight	280 g
Reference temperature	20 °C
Operating temperature	10 - 30 °C
Storage temperature	-10 - 50 °C
Protection class	IP67



NOTA: Aceasta fisa a fost realizata sub rezerva modificarilor ulterioare de ordin tehnic sau a erorilor de editare.

Fotografia are caracter informativ.

NOTE: Products and specifications are subject to change without prior notice .Pictures may differ from original.